VIA EMAIL

November 29, 2012 File No. 04.0029307.00



380 Harvey Road Manchester

New Hampshire 03103-3347 603-

623-3600 FAX 603-624-9463 www.gza.com Mr. Bruce Kudrick Superintendent, Hooksett Sewer Commission Town of Hooksett 1 Egawes Drive Hooksett, New Hampshire 03106

Re:

Revised October Wastewater Discharge Monitoring Report

Merrimack Station

Public Service Company of New Hampshire

Bow, New Hampshire

Dear Bruce:

Attached please find the revised **table** summarizing the volume of distillate discharged to the Hooksett Wastewater Treatment System (Hooksett) in the month of October 2012. The table was updated to include one additional truck (8,000 gallons) which was discharged to Hooksett on October 29, 2012. The total volume of distillate discharged to Hooksett in October 2012 was 296,000 gallons, not the previously reported 288,000 gallons. It is our understanding that the 296,000-gallon value is consistent with load tickets received by the Sewer Commissioner's Office for the month of October 2012.

Should you have any questions concerning this report, please do not hesitate to contact me at (603) 232-8744.

Very truly yours,

GZA GEOENVIRONMENTAL, INC.

Ronald a. Breton_ Ronald A. Breton, P.E.

Senior Principal

RAB:rkl

P:\04Jobs\0029300s\04.0029307.00\Work\SAMPLING AND REPORTING\REPORTS\Hooksett\Monthly\October 2012\FINALGZA ltr head 29307 Revised Hooksett OCT RPT 112912.doc

Attachment

SUMMARY OF WASTEWATER SHIPMENTS TO HOOKSETT WASTEWATER TREATMENT PLANT

Public Service Company of New Hampshire Merrimack Station Bow, New Hampshire

DATE	DAY	TICKET	TRUCKING COMPANY	pН	VOLUME	TOTAL DAILY VOLUME (gallons)	
10/4/2012	Thursday	25796	Enpro	7.69	8,000	8,000	
10/10/2012	Wednesday	25809	Enpro	7.5	8,000	8,000	
10/11/2012	Thursday	25810	Enpro	7.28	8,000	8,000	
10/15/2012	10/15/2012 Monday	25812	Enpro	8.96	8,000		
10/13/2012	Monday	25813	Enpro	8.96	8,000	16,000	
		25814	Enpro	8.66	8,000		
10/16/2012	Tuesday	25815	Enpro	8.58	8,000	24,000	
		25816	Enpro	8.48	8,000	1	
10/17/2012	Wadaaadaa	25817	Enpro	7.63	8,000	16,000	
10/1//2012	Wednesday	25818	Enpro	7.63	8,000	16,000	
		25819	Enpro	7.9	8,000		
		25820	Enpro	7.91	8,000		
10/18/2012	Thursday	25821	Enpro	7.99	8,000	40,000	
		25822	Enpro	8.01	8,000		
		25823	Enpro	8.05	8,000		
		25825	Enpro	7.8	8,000		
		25826	Enpro	7.9	8,000		
10/19/2012	Friday	25827	Enpro	7.8	8,000	40,000	
	·	25828	Enpro	7.8	8,000		
		25829	Enpro	7.5	8,000		
		25830	Enpro	7.6	8,000		
		25831	Enpro	7.6	8,000	1	
10/20/2012	Saturday	25832	Enpro	7.6	8,000	40,000	
		25833	Enpro	7.5	8,000	1	
		25834	Enpro	7.2	8,000		
		25835	Enpro	8.24	8,000		
		25836	Enpro	8.5	8,000		
10/21/2012	Sunday	25837	Enpro	8.4	8,000	40,000	
	Ī	25838	Enpro	8.4	8,000	1	
		25839	Enpro	8.3	8,000	1	
		25840	Enpro	8.05	8,000		
10/22/2012		25841	Enpro	8.3	8,000		
	Monday	25842	Enpro	8.31	8,000	40,000	
				8,000	1		
		25844	Enpro	8.4	8,000	~_	
10/24/2012	Wednesday	25857	Enpro	7.92	8,000	8,000	
10/29/2012	Monday	25865	Enpro	8.75	8,000	8,000	

Shipments (Number of Trucks) 37
Truck Volume (Gallons) 8,000
Total Volume Discharged (Gallons) 296,000
Maximum Daily Flow (gallons per day) 40,000
Average Daily Flow (gallons per discharge day) 22,769

VIA EMAIL

November 15, 2012 File No. 04.0029307.00



380 Harvey Road

New Hampshire 03103-3347 603-623-3600

FAX 603-624-9463 www.gza.com

Manchester

Mr. Bruce Kudrick Superintendent, Hooksett Sewer Commission Town of Hooksett 1 Egawes Drive Hooksett, New Hampshire 03106

Re:

Wastewater Discharge Monitoring Report

October 2012 Merrimack Station

Public Service Company of New Hampshire (PSNH)

Bow, New Hampshire

Dear Bruce:

On behalf of PSNH, GZA GeoEnvironmental, Inc. is pleased to submit the attached **Wastewater Discharge Monitoring Report** (DMR) for the period October 1, 2012 through October 31, 2012, in accordance with Waste Disposal Agreement WDA-001. Wastewater (Distillate) flow was approximately 288,000 gallons for the monitoring period and was estimated based on the actual number of tanker trucks discharged to the Hooksett Sanitary Sewer System (Hooksett) in October and assumed full tanker capacity (i.e., 8,000 gallons). Distillate was the only approved waste stream discharged to Hooksett in October 2012. **Table 1** included in the Wastewater DMR summarizes the data contained in the attached **Analytical Data Report** for the distillate sample collected on October 18, 2012. **Table 2** included in the Wastewater DMR summarizes wastewater shipments to Hooksett in the month of October 2012.

Should you have any questions concerning this report, please do not hesitate to contact me at (603) 232-8744.

Very truly yours,

GZA GEOENVIRONMENTAL, INC.

Ronald A. Breton, P.E.

Ronold a. Breton

Senior Principal

RAB:rkl

P:\U4.lobs\0029300s\04.0029307.00\Work\SAMPLING AND REPORTING\REPORTS\Hooksett\Monthly\October 2012\FinAL Hooksett OCT RPT 111412.doex

Attachments:

Wastewater Discharge Monitoring Report

Analytical Data Report

WASTEWATER DISCHARGE MONITORING REPORT

WASTEWATER DISCHARGE MONITORING REPORT HOOKSETT WASTEWATER TREATMENT PLANT

Public Service Company of New Hampshire - Merrimack Station Waste Disposal Agreement No. WDA-001 Issued October 1, 2012 Expires September 30, 2013

Permitted Flow:

Treated Blowdown from Flue Gas Desulfurization (FGD) System (Stream A)	100,000 gallons per day
Treated Blowdown from Flue Gas Desulfurization (FGD) System (Softened Stream A)	
Noncontact Cooling Water generated in association with the FGD treatment System	
Distillate generated in association with the FGD treatment system	100,000 gallons per day

NOTE: The total volume of all waste streams discharged shall not exceed 100,000 gallons per day.

FLOW DATA

Daily Flow Rate_	24,000 gallons (average of actual discharge days)
Maximum Daily Flow Rate	40,000 gallons per day
Monitoring Period Flow	288,000 gallons (10/01/12 - 10/31/12)

FACILITY INFORMATION	
Company Name: Public Service Company of New Hampshire -	Merrimack Station
Company Owner: Public Service Company of New Hampshire	
Facility Address: 97 River Road	
Facility Contact: Brad Owens	
Telephone: (603) 224-4081	
MONITORING REPORT	
Submittal Date: 11/15/2012	
Monitoring Point: Truck loading station	
Reporting Period: October 2012	
SAMPLE ANALYSIS	
Certified Analytical Laboratory: Eastern Analytical I	nc. (EAI) Certification Number 1012
Authorized Representative: Lorraine Olashaw	
Analytical Subcontractor: Phoenix Environmental Laboratories, Inc.	Certification Number 213693-A,B
SAMPLE COLLECTION	
Sampler: Paul Pepler, GZA	
Sample Type: Grab	
Sample Date: 10/18/2012	Sample Time 2:00 PM
pH: 7.99	
Waste Stream: Distillate	- -
CATEGORICAL PRETREATMENT STANDARDS	
40 CFR 423.16: Steam Electric Power Generating Category	
NOTE: There are no numerical pretreatment standards for this so	purce
CERTIFICATION STATEMENT	
"I certify, under penalty of law, that this document and all attachments were prepare system designed to assure that qualified personnel properly gather and evaluate the or persons who manage the system, or those persons directly responsible for gatheric of my knowledge and belief, true, accurate, and complete. I am aware that there a including the possibility of fine and imprisonment to	information submitted. Based on my inquiry of the person ng the information, the information submitted is, to the best are significant penalties for submitting false information,
Brad Owens	Station Manager
Printed Name of Authorized Representative	Title
· Share and the same of the sa	11/13/2012
	11/13/2016
Signature of Authorized Representative	Date

TABLE 1 - SUMMARY OF ANALYTICAL DATA

Public Service Company of New Hampshire Merrimack Station Bow, New Hampshire

PARAMETER	DISTILLATE RESULTS 10/18/2012 (mg/L)
Arsenic	<0.001
Chloride	20
Chromium (T)	<0.001
Lead	<0.001
Mercury	<0.0002
рН	7.99
Selenium	0.002
Sodium	16

TABLE 2 - SUMMARY OF WASTEWATER SHIPMENTS TO HOOKSETT WASTEWATER TREATMENT PLANT

Public Service Company of New Hampshire Merrimack Station Bow, New Hampshire

DATE	DAY	TICKET	TRUCKING COMPANY	рН	VOLUME	TOTAL DAILY VOLUME (gallons)	
10/4/2012	Thursday	25796	Enpro	7.69	8,000	8,000	
10/10/2012	Wednesday	25809	Enpro	7.5	8,000	8,000	
10/11/2012	Thursday	25810	Enpro	7.28	8,000	8,000	
10/15/2012	/15/2012 Monday	25812	Enpro	8.96	8,000	16,000	
10/13/2012	Withday	25813	Enpro	8.96	8,000	7 10,000	
		25814	Enpro	8.66	8,000		
10/16/2012	Tuesday	25815	Enpro	8.58	8,000	24,000	
		25816	Enpro	8.48	8,000	1	
10/17/2012	Wednesday	25817	Enpro	7.63	8,000	16,000	
10/1//2012	wednesday	25818	Enpro	7.63	8,000	16,000	
		25819	Enpro	7.9	8,000		
		25820	Enpro	7.91	8,000		
10/18/2012	Thursday	25821	Enpro	7.99	8,000	40,000	
		25822	Enpro	8.01	8,000	· ·	
		25823	Enpro	8.05	8,000		
		25825	Enpro	7.8	8,000		
		25826	Enpro	7.9	8,000		
10/19/2012	Friday	25827	Enpro	7.8	8,000	40,000	
	·	25828	Enpro	7.8	8,000		
		25829	Enpro	7.5	8,000		
		25830	Enpro	7.6	8,000		
		25831	Enpro	7.6	8,000		
10/20/2012	Saturday	25832	Enpro	7.6	8,000	40,000	
		25833	Enpro	7.5	8,000		
		25834	Enpro	7.2	8,000		
		25835	Enpro	8.24	8,000		
		25836	Enpro	8.5	8,000		
10/21/2012	Sunday	25837	Enpro	8.4	8,000	40,000	
		25838	Enpro	8.4	8,000		
	Ī	25839	Enpro	8.3	8,000	****	
10/22/2012 Monday		25840	Enpro	8.05	8,000		
		25841	Enpro	8.3	8,000	1	
	Monday	25842	Enpro	8.31	8,000	40,000	
	ĭ þ	25843	Enpro	8.43	8,000	1	
	F	25844	Enpro	8.4	8,000	1	
10/24/2012	Wednesday	25857	Enpro	7.92	8.000	8.000	

Shipments (Number of Trucks) 36
Truck Volume (Gallons) 8,000
Total Volume Discharged (Gallons) 288,000
Maximum Daily Flow (gallons per day) 40,000
Average Daily Flow (gallons per discharge day) 24,000

ANALYTICAL DATA REPORT

Paul Pepler GZA GeoEnvironmental, Inc. (NH) 380 Harvey Road Manchester, NH 03103


Subject: Laboratory Report

Eastern Analytical, Inc. ID: 115267

Client Identification: PSNH-MK

Date Received:

10/19/2012



Enclosed please find the laboratory report for the above identified project. All analyses were performed in accordance with our QA/QC Program. Unless otherwise stated, holding times, preservation techniques, container types, and sample conditions adhered to EPA Protocol. Samples which were collected by Eastern Analytical, Inc. (EAI) were collected in accordance with approved EPA procedures. Eastern Analytical, Inc. certifies that the enclosed test results meet all requirements of NELAP and other applicable state certifications. Please refer to our website at www.eailabs.com for a copy of our NELAP certificate and accredited parameters.

The following standard abbreviations and conventions apply to all EAI reports:

Solid samples are reported on a dry weight basis, unless otherwise noted

< : "less than" followed by the reporting limit

> : "greater than" followed by the reporting limit

%R: % Recovery

Eastern Analytical Inc. maintains certification in the following states: Connecticut (PH-0492), Maine (NH005), Massachusetts (M-NH005), New Hampshire/NELAP (1012), Rhode Island (269) and Vermont (VT1012).

The following information is contained within this report: Sample Conditions summary, Analytical Results/Data, Quality Control data (if requested) and copies of the Chain of Custody. This report may not be reproduced except in full, without the written approval of the laboratory.

If you have any questions regarding the results contained within, please feel free to directly contact me or the chemist(s) who performed the testing in question. Unless otherwise requested, we will dispose of the sample(s) 30 days from the sample receipt date.

We appreciate this opportunity to be of service and look forward to your continued patronage.

Sincerely,

Lorraine Olashaw, Lab Director

10.30.12

of pages (eyclus

of pages (excluding cover letter)

Client: GZA GeoEnvironmental, Inc. (NH)

Client Designation: PSNH-MK

Temperature upon receipt (°C): 4.1

Received on ice or cold packs (Yes/No): Y

Acceptable temperature range (°C): 0-6

Sample ID

Date Date

Sample % Dry

Received Sampled Matrix Weight Exceptions/Comments (other than thermal preservation)

Distillate 10/19/12 10/18/12

Adheres to Sample Acceptance Policy

115267.02 Field Blank

Lab ID

115267.01

10/19/12 10/18/12

aqueous aqueous

Adheres to Sample Acceptance Policy

Samples were properly preserved and the pH measured when applicable unless otherwise noted. Analysis of solids for pH, Flashpoint, Ignitibility, Paint Filter, Corrosivity, Conductivity and Specific Gravity are reported on an "as received" basis. All results contained in this report relate only to the above listed samples.

References include:

- 1) EPA 600/4-79-020, 1983
- 2) Standard Methods for Examination of Water and Wastewater: Inorganics, 19th Edition, 1995; Microbiology, 20th Edition, 1998
- 3) Test Methods for Evaluating Solid Waste SW 846 3rd Edition including updates IVA and IVB
- 4) Hach Water Analysis Handbook, 2nd edition, 1992

Client: GZA GeoEnvironmental, Inc. (NH)

Client Designation: PSNH-MK

Sample ID:

Distillate

Lab Sample ID:

115267.01

Matrix:

aqueous

Date Sampled:

10/18/12

Date Received:

10/19/12

Analysis

Units

Date Time Method Analyst

Chloride

20

mg/L

10/23/12 10:12 4500CIE KD



Client: GZA GeoEnvironmental, Inc. (NH)

Client Designation: PSNH-MK

Parameter Name	Blank	LCS	LCSD	Date of Units Analysis	Limits RPD	Method
Chloride	< 1	25 (101 %R)	25 (102 %R) (1 RPD)	mg/L 10/23/12	90 - 110 20	4500CIE

Samples were analyzed within holding times unless noted on the sample results page. Instrumentation was calibrated in accordance with the method requirements. The method blanks were free of contamination at the reporting limits. The associated matrix spikes and/or Laboratory Control Samples met the above stated criteria. Exceptions to the above statements are flagged or noted above or on the QC Narrative page.

*/! Flagged analyte recoveries deviated from the QA/QC limits.

LABORATORY REPORT

EAI ID#: 115267

10/22/12

10/22/12

10/22/12

10/22/12

10/22/12

200.8

200.8

200.8

200.8

200.8

DS

DS

DS

DS

DS

AqTot mg/L

AqTot mg/L

mg/L

mg/L

mg/L

AqTot

AqTot

AqTot

Client: GZA GeoEnvironmental, Inc. (NH)

< 0.001

< 0.001

< 0.001

0.002

16

Client Designation: PSNH-MK

Arsenic

Lead

Chromium

Selenium

Sodium

Sample ID:	Distillate						
Lab Sample ID:	115267.01						
Matrix:	aqueous						
Matrix.	aqueous						
Date Sampled:	10/18/12		Analytical		Date of		
Date Received:	10/19/12		Matrix	Units	Analysis	Method A	Analyst



Client: GZA GeoEnvironmental, Inc. (NH)

Client Designation: PSNH-MK

				Date of			
Parameter Name	Blank	LCS	LCSD	Units Analysis	Limits	RPD	Method
Arsenic	< 0.001	0.99 (99 %R)		mg/L 10/22/12	85 - 115	20	200.8
Chromium	< 0.001	0.99 (99 %R)		mg/L 10/22/12	85 - 115	20	200.8
Lead	< 0.001	0.95 (95 %R)		mg/L 10/22/12	85 - 115	20	200.8
Selenium	< 0.001	0.94 (94 %R)		mg/L 10/22/12	85 - 115	20	200.8
Sodium	< 5	11 (103 %R)		mg/L 10/22/12	85 - 115	20	200.8

	MS/MSD	MS/MSD			Date of			
Parameter Name	Parent ID	Parent	Matrix Spike	MSD	Units Analysis	Limits	RPD	Method
Arsenic	115269.01	< 0.001	0.96 (96 %R)	0.94 (94 %R) (2 RPD)	mg/L 10/22/12	70-130	20	200.8
Chromium	115269.01	< 0.001	0.86 (86 %R)	0.86 (86 %R) (0 RPD)	mg/L 10/22/12	70-130	20	200.8
Lead	115269.01	< 0.001	0.92 (92 %R)	0.89 (89 %R) (3 RPD)	mg/L 10/22/12	70-130	20	200.8
Selenium	115269.01	< 0.001	0.95 (95 %R)	0.94 (94 %R) (1 RPD)	mg/L 10/22/12	70-130	20	200.8
Sodium	115269.01	12	21 (83 %R)	20 (74 %R) (11 RPD)	mg/L 10/22/12	70-130	20	200.8

Samples were analyzed within holding times unless noted on the sample results page.

Instrumentation was calibrated in accordance with the method requirements.

The method blanks were free of contamination at the reporting limits.

The associated matrix spikes and/or Laboratory Control Samples met the above stated criteria.

Exceptions to the above statements are flagged or noted above or on the QC Narrative page.

*/! Flagged analyte recoveries deviated from the QA/QC limits.



Friday, October 26, 2012

Attn: Front Office Eastern Analytical 25 Chenell Drive Concord, NH 03301

Project ID: 3902

Sample ID#s: BC88214 - BC88215

This laboratory is in compliance with the NELAC requirements of procedures used except where indicated.

This report contains results for the parameters tested, under the sampling conditions described on the Chain Of Custody, as received by the laboratory.

A scanned version of the COC form accompanies the analytical report and is an exact duplicate of the original.

If you have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext. 200.

Sincerely yours,

Phyllis Shiller

Laboratory Director

NELAC - #NY11301

CT Lab Registration #PH-0618

MA Lab Registration #MA-CT-007

ME Lab Registration #CT-007

NH Lab Registration #213693-A,B

NJ Lab Registration #CT-003 NY Lab Registration #11301

PA Lab Registration #68-03530

RI Lab Registration #63

VT Lab Registration #VT11301



Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045 Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Report

October 26, 2012

FOR: Attn: Front Office

> Eastern Analytical 25 Chenell Drive Concord, NH 03301

Sample Informa	ation
CONTRACTOR IN THE CONTRACTOR	****

Matrix:

P.O.#:

WATER

Location Code:

EASTANAL

Rush Request:

Standard 39555

Custody Information

Collected by:

Received by:

Analyzed by:

LB

see "By" below

Laboratory Data

SDG ID: GBC88214

Phoenix ID: BC88214

Project ID:

3902

Client ID:

DISTILLATE

RL

Parameter Result Mercury < 0.0002 Mercury Digestion Completed

PQL 0.0002 Units mg/L

Date/Time 10/25/12

Date

10/18/12

10/24/12

By Reference SW7470/245.1 JΑ

Time

14:00

10:59

SW7470/245.1 10/25/12 X/X

RL/PQL=Reporting/Pratical Quantitation Level (Equivalent to NELAC LOQ, Limit of Quanitation) ND=Not Detected BRL=Below Reporting Level

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200. This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director

October 26, 2012

Reviewed and Released by: Johanna Harrington, Project Manager



Environmental Laboratories, Inc.

587 East Middle Tumpike, P.O.Box 370, Manchester, CT 06045 Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Report

October 26, 2012

FOR: Attn: Front Office

Eastern Analytical 25 Chenell Drive Concord, NH 03301

_	
Cample	Information
· Janne	

Matrix:

WATER

Location Code:

EASTANAL

Rush Request:

Standard

P.O.#:

39555

Custody Information

Collected by:

Analyzed by:

Received by:

LB

see "By" below

Laboratory Data

SDG ID: GBC88214

Phoenix ID: BC88215

Project ID:

3902

Client ID:

FIELD BLANK

RL/

Parameter Result **PQL** Mercury < 0.0002 0.0002 Mercury Digestion Completed

mg/L

Units Date/Time

10/25/12

Date

10/18/12

10/24/12

Reference By JA SW7470/245.1

Time

13:55

10:59

10/25/12 SW7470/245,1 X/X

RL/PQL=Reporting/Pratical Quantitation Level (Equivalent to NELAC LOQ, Limit of Quantitation) ND=Not Detected **BRL=Below Reporting Level**

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200. This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director

October 26, 2012

Reviewed and Released by: Johanna Harrington, Project Manager



Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045 Tel. (860) 645-1102 Fax (860) 645-0823



QA/QC Report

October 26, 2012

QA/QC Data

SDG I.D.: GBC88214

Parameter	Blank	Sample Result	Dup Result	Dup RPD	LCS %	LCSD %	LCS RPD	MS %	MSD %	MS RPD	% Rec Limits	% RPD Limits	
QA/QC Batch 212427, QC Sample No: BC88495 (BC88214, BC88215)													
Mercury - Water	BRL	<0.0002	<0.0002	NC	98.3	99.3	1.0	97.8	100	2.2	70 - 130	20	

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

RPD - Relative Percent Difference

LCS - Laboratory Control Sample

LCSD - Laboratory Control Sample Duplicate

MS - Matrix Spike

MS Dup - Matrix Spike Duplicate

NC - No Criteria

intf - interference

Phyllis/Shiller, Laboratory Director

October 26, 2012

Friday, Octr Requeste	riday, October 26, 2012 Requested Criteria: None State: NH	a -	Sample Criteria Exceedences Report GBC88214 - EASTANAL					Page 1 of 1
SampNo Acode	Acode	Phoenix Analyte	Criteria	Result	뇞	Criteria	RL Analysis Criteria Criteria Units	Analysis Units
*** No Data	*** No Data to Display ***							

Phoenix Laboratories does not assume responsibility for the data contained in this report. It is provided as an additional tool to identify requested criteria exceedences. All efforts are made to ensure the accuracy of the data (obtained from appropriate agencies). A lack of exceedence information does not necessarily suggest conformance to the criteria. It is ultimately the site professional's responsibility to determine appropriate compliance.

A.

38.5

CHAIN-OF-CUSTODY RECORD eastern analytical professional laboratory services

EAI SRB# 115267 Sample Notes 88314 S8215 10/18/2012 | aqueous | Mercury Cold Vapor (Phoenix) 10/18/2012 | aqueous | Mercury Cold Vapor (Phoenix) aParameters Date Sampled Matrix 13:55 Field Blank Sample ID Distillate

EAI SRB#	EAI SRB# 115267 Project State: NH	Results Needed by: Preferred date	K K
	Project ID: 3902	QC Deliverables □ A □ A+ 図B □ B+ □ C □ P-	á.
Company	Phoenix Environmental Labs		
Address	587 East Middle Turnpike	Email pdf of results and invoice to	
Address	Manchester, CT 06040	customerservice@eailabs.com.	
Account #			
Phone #	Phone # (860) 645-1102		

Please call prior to analyzing, If RUSH surcharges will be applied. Eastern Analytical Inc. PO Number: 39555

apyples_Collected by:_ Relinquished by

Relinquished by

860 645-0823

Fax Number

Date/Time

Fax: (603)228-4591

As a subcontract lab to EAI, you will defend, indemnify and hold Eastern Analytical, inc., its officers, employees, and agents harmless from and against any and all liability, loss, expense or claims for injury or damages are caused by or result from the negligent or intentiona acts or omissions of you as a subcontract lab, your officers, agents or employees 1-800-287-0525 Phone: (603)228-0525 Eastern Analytical, Inc. 25 Chenell Dr. Concord, NH 03301

115267

CHAIN-OF-CUSTODY RECORD

BOLD FIELDS REQUIRED. PLEASE CIRCLE REQUESTED ANALYSIS.

Page 1 of 1

VOC SVOC TCLP METALS INORGANICS MICRO OTHER	SAMPLING NDICATE BOTH NDICATE B	× ×				MATRIX: A-ART; 5.50t; GW-Ground Water, DW-Drinking Water; WW-Waste water WWW-Waste water Presenvative: H-HCl., N-HNO; 5-H ₂ 50 ₄ ; Na-NaOH; M-MEOH	aul Pepler DATE NEEDED: Standard TAT TEMP 7 CT METALS: 8 KCR4 13 PP FE, MN PB, CU	REPORTING OPTIONS ICE? (YES) NO OTHER METAL	STATE: NH 7IP: 03103 A B C IF YES: FAX OR PDF	EXT:	PRESUMPTIVE CERTAINTY NO FAX E-MAIL POF LQUIS	SAMPLEK(S):	RELINQUISHED BY: DATE: THE REGINED BY:	RELINQUISHED BY: DATE: TIME RECEIVED BY:	SUSPECIED LONIAMINATION:
	SAMPLE 1.D.	Distillate 10				MATRX: A-ARR; S-SOIT; GW-GROUND WATRY; SW-SURACE WATE WW-WASTE WATER PRESERVATYE; H-HCL; N-HNO ₃ , S-H ₂ SO ₄ , Na-NAOH; H-MEOH	PROJECT MANAGER:	COMPANY: GZA GEOEnviron	Appress: 380 Harvey Road	PHONE: 603-232-8717	F.MAIL: paul.pepler@gza.com	SITE NAME: PSNH- MK	STATE: (NH) MA ME VT	REGULATORY PROGRAM: NPDES: RGP POTW STORHWATER OR GWP, OIL FUND, BROWNFIELD ON OTHER.	

Castern analytical, inc. 25 CHENEL DRIVE CONCORD. NH 03301 | TEL: 603.228.0525 | 1.800.287.0525 | FAX: 603.228.4591 | E-MAIL: CUSTOMER, SERVICE@EAILABS.COM | www.eailabs.com | professional laboratory services (WHITE: ORIGINAL GREEN: PROJECT MANAGER)

38 - 1 - 1 - 1 - 1